



Aluminum profile:		
System	Nominal thickness	Aluminum type
B-15	78mm	EN AW-6060
GLASS:		
Glass type	Nominal thickness	Glass size
Fireswiss Cool 30-11 max size 1229 x 2600	11mm	Light opening +46mm

Clear opening width	3853
Clear opening height	2700
Door leaf width	1393
Door leaf height	2772

kaune 27.3.2020	Kaune Oy B-15 Tandem sliding door 3 LEAF	K-SLIDE-TANDEM		
		N/A	1/20	TK-200



1 - 1



kaune

27.3.2020


Kaune Oy
B-15 Tandem sliding door
Horizontal sections

K-SLIDE-TANDEM


N/A

2/20

TK-201



2 - 2



kaune

27.3.2020


Kaune Oy
B-15 Tandem sliding door
Horizontal sections

K-SLIDE-TANDEM


N/A

3/20

TK-202



3 - 3



kaune

27.3.2020


Kaune Oy
B-15 Tandem sliding door
Horizontal sections

K-SLIDE-TANDEM



N/A

4/20

TK-203



4 - 4



kaune

27.3.2020


Kaune Oy
B-15 Tandem sliding door
Vertical section

K-SLIDE-TANDEM


N/A 5/20

TK-204


1.




2.




3.




4.



5.



6.



kaune

27.3.2020

Kaune Oy
B-15 Tandem sliding door
Glazing

K-SLIDE-TANDEM

N/A 15/20

TK-214