



Aluminum profile:		
System	Nominal thickness	Aluminum type
B-15	78mm	EN AW-6060
GLASS:		
Glass type	Nominal thickness	Glass size
Fireswiss Cool 30-11 max size 1229 x 2600	11mm	Light opening +46mm

Clear opening width	5141
Clear opening height	2700
Door leaf width	1393
Door leaf height	2772

<b>kaune</b> 15.4.2020	Kaune Oy B-15 Tandem sliding door 4 LEAF	K-SLIDE-TANDEM		
		N/A	1/20	TK-240



**1 - 1**



**kaune**

15.4.2020


Kaune Oy  
B-15 Tandem sliding door  
Horizontal sections

K-SLIDE-TANDEM


N/A

2/20

TK-241



**2 - 2**



**kaune**

15.4.2020


Kaune Oy  
B-15 Tandem sliding door  
Horizontal sections

K-SLIDE-TANDEM


N/A

3/20

TK-242



**3 - 3**



**kaune**

15.4.2020


Kaune Oy  
B-15 Tandem sliding door  
Horizontal sections

K-SLIDE-TANDEM



N/A

4/20

TK-243



4 - 4



**kaune**

15.4.2020


Kaune Oy  
B-15 Tandem sliding door  
Vertical section

K-SLIDE-TANDEM


N/A 5/20

TK-244


1.




2.




3.




4.



5.



6.



**kaune**

15.4.2020

Kaune Oy  
B-15 Tandem sliding door  
Glazing

K-SLIDE-TANDEM

N/A 15/20

TK-254